



Mapped, edited, and published by the Geological Survey in cooperation with State of Michigan agencies
Control by USGS, USC&GS, and USCE
Planimetry by photogrammetric methods from aerial photographs
Topography by planetable surveys 1937. Revised from aerial photographs taken 1967. Field checked 1968
Canadian portion copied in part from Walpole Island quadrangle (1:25 000) 1963
Surveys and Mapping Branch, Department of Energy, Mines and Resources
Selected hydrographic data compiled from U. S. Lake Survey Chart 43 (1969)
This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is un-checked



CONTOUR INTERVAL 5 FEET IN THE UNITED STATES AND 10 FEET IN CANADA
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT FOLLOWING STAGES: LAKE HURON—576.8 AND LAKE ST. CLAIR—571.7

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE UPON REQUEST



ROAD CLASSIFICATION

Primary highway, all weather, hard surface	Light duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather
	State Route

ALGONAC, MICH.—ONT.
N4230—W8230/7.5
1968
AMS 4468 II SE—SERIES V862

3260 APR 13 1971
U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION