




Map by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS, USCE, U. S. Lake Survey and
International Boundary Commission
U. S. topography from aerial photographs by photogrammetric
methods. Aerial photographs taken 1950. Field check 1951
Canadian topography from Army Survey Establishment, RCE,
dated 1953
Hydrography compiled from U. S. Lake Survey chart 62 (1955)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Unchecked elevations are shown in brown



SCALE 1:24 000
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 1 KILOMETER
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT
FOLLOWING STAGE: LAKE HURON 576 FEET



ROAD CLASSIFICATION
Light-duty ————— Unimproved dirt - - - - -
USCS
Historical File
Topographic Division
BAIE DE WASAI, MICH.—ONT.
NW/4 LAKE GEORGE 15' QUADRANGLE
N4622.5 — W8407.5/7.5

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY THE U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled by the Geological Survey
from aerial photographs taken 1976. This information not
field checked. Canadian portion not revised

1951
PHOTOREVISED 1976
AMS 4176 1 NW—SERIES V862

JUL 06 1978

2600