



Mapped, edited, and published by the Geological Survey in cooperation with State of Michigan agencies  
Control by USGS, USC&GS, and U.S. Lake Survey  
Topography by photogrammetric methods from aerial photographs taken 1965-66. Field checked 1967  
Selected hydrographic data compiled from U.S. Lake Survey Charts 524 (1967) and 52 (1964). This information is not intended for navigational purposes  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan coordinate system, south zone  
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue  
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

SCALE 1:24,000  
CONTOUR INTERVAL 5 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 576.8 FEET  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt - - - - -



BAY CITY NE, MICH.  
NE/4 BAY CITY 15' QUADRANGLE  
N4337.5—W8345/7.5

1967  
AMS 4271 III NE—SERIES V862

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

2293  
AUG 21 1968