



Mapped, edited, and published by the Geological Survey


Control by USGS, USCG&S, and U. S. Lake Survey

Topography by photogrammetric methods from aerial photographs taken 1954-55. Field checked 1964

Selected hydrographic data compiled from U. S. Lake Survey Chart 61 (1961). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is un-checked



CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 578.5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
State Route ○

DE TOUR VILLAGE, MICH.
N4552.5—W8352.5/7.5

1964
AMS 4275 IV NW—SERIES V862

2945
JAN 21 1966

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION