




83°45' 46°07'30" 2880000 E 789 790 42°30" 791 792 793 40' 795 796 510 000 FEET 83°37'30" 46°07'30"



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, U.S. Lake Survey, and International Boundary Commission
Topography by photogrammetric methods from aerial photographs taken 1954-56. Field checked 1964
Selected hydrographic data compiled from U.S. Lake Survey Chart 61 (1961)
This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked



ROAD CLASSIFICATION

Medium-duty	Light-duty
Unimproved dirt	

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

DRUMMOND, MICH.-ONT.
N4600-W8337.5/7.5
1964

AMS 4276 II SW-SERIES V862

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

2980