

Mapped, edited, and published by the Geological Survey in cooperation with State of Michigan agencies

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1965-66. Field checked 1967


Selected hydrographic data compiled from U. S. Lake Survey Charts 524 (1967) and 52 (1967). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum

10,000-foot grid based on Michigan coordinate system, south zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

Revisions shown in purple compiled from aerial photographs taken 1973. This information not field checked



SCALE 1:24,000
CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 576.8 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
Interstate Route U. S. Route State Route



QUADRANGLE LOCATION

To place on the predicted North American Datum 1983, move the projection lines 1 meter north and 4 meters west as shown by dashed corner ticks

KAWKAWLIN, MICH.
43083-F8-TF-024

1967
PHOTOREVISED 1973
DMA 4271 III NW—SERIES V862

