

Mapped, edited, and published by the Geological Survey



Control by USGS and USCGS

Topography by photogrammetric methods from aerial photographs taken 1954-56. Field checked 1964

Selected hydrographic data compiled from U.S. Lake Survey Chart 704 (1963). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum 10,000-foot grid based on Michigan coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC DATUM OF 1929
DEPTH CURVES IN FEET—DATUM IS LOW WATER 578.5 FEET



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

To place on the predicted North American Datum 1983
move the projection lines 4 meters north and
4 meters east as shown by dashed corner ticks

ROAD CLASSIFICATION

Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
U.S. Route	State Route

KENNETH, MICH.
46084A8-TF-024

1964

DMA 4076 III SW—SERIES V862

