


Mapped by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS, USCE, U. S. Lake Survey
and International Boundary Commission
U. S. topography from aerial photographs by photogrammetric
methods. Aerial photographs taken 1950. Field check 1951
Canadian topography from Army Survey Establishment, RCE,
dated 1953
Hydrography compiled from U. S. Lake Survey chart 62 (1955)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Unchecked elevations are shown in brown



CONTOUR INTERVAL 20 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
DASHED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT
FOLLOWING STAGE: LAKE HURON 578 FEET

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -

U. S. area also covered by 1:24,000 scale maps of
Baie de Wasai and Oak Ridge 7.5 minute quadrangles,
surveyed 1951.
LAKE GEORGE, MICH.
N4615—W8400/15

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST