

Mapped, edited, and published by the Geological Survey  
in cooperation with State of Michigan agencies

Control by USGS and USC&GS


Planimetry by photogrammetric methods from aerial photographs  
Topography by planimetric surveys 1940. Revised from aerial  
photographs taken 1966. Field checked 1967

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan coordinate system, south zone  
To place on the predicted North American Datum 1983  
move the projection lines 0 meters south and  
6 meters west as shown by dashed corner ticks  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked

SCALE 1:24 000



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
AND BY THE GEOLOGICAL SURVEY DIVISION  
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled from aerial  
photographs taken 1977. Map edited 1979.  
This information not field checked.  
Purple tint indicates extension of urban area

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
Interstate Route ——— U.S. Route ——— State Route ———

USCS  
Historical File  
Topographic Division

MONROE, MICH.  
N4152.5—W8322.5/7.5

1967  
PHOTOREVISED 1979  
DMA 4367 IV NW—SERIES V862



FEB 13 1980  
1320