


U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION




Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and U. S. Lake Survey

Culture and drainage in part compiled from aerial photographs taken 1952. Topography by plane-table surveys 1953. Hydrography and Canadian topography copied from U. S. Lake Survey Charts 61 and 62 (1:40,000)

Polyconic projection. 1927 North American datum. 10,000-foot grid based on Michigan coordinate system, east zone.

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1953



USGS
Historical File
Topographic Division

ROAD CLASSIFICATION
Heavy-duty 4 LANE 16 LANE Light-duty
Medium-duty 4 LANE 16 LANE Unimproved dirt
U. S. Route State Route



CONTOUR INTERVAL 5 FEET
CONTOUR INTERVAL IN CANADIAN AREA 20 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT FOLLOWING STAGE: LAKE HURON 578 FEET

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

MUNUSCONG NE, MICH.
N 4607.5—W 8400/7.5
1953

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION