


Topography by C.L.Sadler, E.L.Hain, R.R.Monbeck,  
W.B.Upton, Jr. and J.L.Buckmaster  
Control by U.S. Geological Survey  
Surveyed in 1928 and 1930

**ROAD CLASSIFICATION**  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U.S. Route ——— State Route ———

APPROXIMATE MEAN  
MAGNETIC NORTH  
DECLINATION, 1930



CONTOUR INTERVALS 10 AND 20 FEET, (SEE DIAGRAM)  
590 FOOT CONTOUR ADDED ALONG LAKE SHORE  
DATUM IS MEAN SEA LEVEL

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan (Central)  
rectangular coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 16, shown in blue

MUSKEGON, MICH.  
N 4300—W 8600/15  
1930

FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

30 65