



Mapped by the Army Map Service  
Published for civil use by the Geological Survey  
Control by USCGS, USCE, U. S. Lake Survey  
and International Boundary Commission  
U. S. topography from aerial photographs by photogrammetric  
methods. Aerial photographs taken 1950. Field check 1951  
Canadian topography from Army Survey Establishment, R.C.E.,  
dated 1953  
Hydrography compiled from U. S. Lake Survey chart 62 (1955)  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan coordinate system, east zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 16, shown in blue  
Unchecked elevations are shown in brown

SCALE 1:24000  
1 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 5 0 1 KILOMETER  
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT  
FOLLOWING STAGE: LAKE HURON 578 FEET  
THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division  
MICHIGAN  
QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Light-duty ————— Unimproved dirt - - - - -  
OAK RIDGE, MICH.  
SW/4 LAKE GEORGE 15' QUADRANGLE  
N 4615—W 8407.5/7.5  
1951

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

JUN 13 1958

2440