



Mapped by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS, USCE, U. S. Lake Survey and
International Boundary Commission
U. S. topography from aerial photographs by photogrammetric
methods. Aerial photographs taken 1950. Field check 1951
Canadian topography from Department of National Defence,
dated 1939
Hydrography compiled from U. S. Lake Survey charts 62 and
63 (1955)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Red tint indicates areas in which only landmark buildings are shown
Unchecked elevations are shown in brown

SCALE 1:62500
3000 0 3000 6000 9000 12000 15000 18000 21000 FEET
1 0 1 2 3 4 5 KILOMETERS
CONTOUR INTERVAL 20 FEET IN UNITED STATES AND 25 FEET IN CANADA
DASHED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM ABOVE 500 LOCKS IS
602 FEET AND BELOW LOCKS IS RIVER SURFACE AT FOLLOWING
STAGE: LAKE HURON 578 FEET
U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND BY THE GEOLOGICAL SURVEY DIVISION
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION 1952
Heavy-duty — Light-duty
Medium-duty — Unimproved dirt
U. S. Route — State Route
This area also covered by 7.5-minute, 1:24,000-scale
maps: Sault Ste. Marie South 1951 PR-75, Shallows 1951 PR-75,
Dafter 1951 PR-75, and Barbeau 1951 PR-75
SAULT STE. MARIE, MICH. NOV 15 1978
N4615—W8415/15
1951
AMS 4176 IV—SERIES V762
Historical File
Topographic Division



1950