



Mapped, edited, and published by the Geological Survey



Control by USGS and USC&GS

Topography from aerial photographs by Kesh plotter  
Aerial photographs taken 1947. Field check 1952

Depth curves and soundings compiled from charts  
furnished by Minnesota Department of Conservation

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Minnesota coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 15, shown in blue

Revisions shown in purple compiled in cooperation with the  
Iron Range Resources and Rehabilitation Commission from  
aerial photographs taken 1969. This information not field checked



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Heavy-duty	4 LANE 16 LANE	Light-duty
Medium-duty	4 LANE 16 LANE	Unimproved dirt

U. S. Route (square symbol)  
State Route (circle symbol)

BABBITT NE, MINN.  
N4737.5-W9145.7.5

USGS  
Historical File  
Topographic Division  
1952  
PHOTOREVISED 1969  
AMS 7679 III NE-SERIES V872

JAN 19 1977  
4258