



Mapped, edited, and published by the Geological Survey


Control by USGS, USC&GS, and International Boundary Commission  
Topography by photogrammetric methods from aerial  
photographs taken 1968. Field checked 1969

Selected hydrographic data in Rainy Lake compiled from U. S. Lake  
Survey Chart 821 (1965). This information is not intended for  
navigational purposes. Depth curves in Kabetogama Lake and  
Locator Lake compiled from charts furnished by Minnesota  
Department of Conservation

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Minnesota coordinate system,  
north zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 15, shown in blue  
To place on the predicted North American Datum 1983  
move the projection lines 5 meters north and

UTM GRID AND 1983 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET  
There may be private inholdings within  
the boundaries of the National or  
State reservations shown on this map

SCALE 1:24 000



CONTOUR INTERVAL 10 FEET  
DOTTED LINES REPRESENT 5-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM FOR RAINY LAKE IS 1102 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Trails

CRANBERRY BAY, MINN.  
N4830—W9300/7.5

1969  
PHOTOREVISED 1983  
DMA 7381 II SE—SERIES V872

A.H. ROBINSON  
MAP LIBRARY  
FEB 10 1984  
University of Wisconsin  
Madison