

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961



Depth curves and soundings compiled from charts furnished by Minnesota Department of Conservation

Polyconic projection. 1927 North American datum
10,000-foot grids based on Minnesota coordinate system,
south and central zones

1000-meter Universal Transverse Mercator grid ticks,
zone 15, shown in blue

To place on the predicted North American Datum 1983
move the projection lines 8 meters north and
18 meters east as shown by dashed corner ticks

There may be private inholdings within the boundaries of



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION	
Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
U. S. Route	

LAKE FREMONT, MINN.

N 4522.5-W 9330/7.5
NE 1/4 ELK RIVER 15' QUADRANGLE
1961

PHOTOREVISED 1980
DMA 7274 1 NE-SERIES V872

MAP AND AIR PHOTO
LIBRARY

FEB 13 1981

University of Wisconsin
Madison

Revisions shown in purple compiled from aerial
photographs taken 1977. Map edited 1980
This information not field checked