

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1965. Field checked 1966

Depth curves and soundings compiled from charts furnished by Minnesota Department of Conservation


Polyconic projection. 1927 North American datum

10,000-foot grid based on Minnesota coordinate system, central zone 1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

Map photoinspected 1977

No major culture or drainage changes observed



CONTOUR INTERVAL 10 FEET  
DATUM IS MEAN SEA LEVEL

ROAD CLASSIFICATION

- Heavy-duty (thick red line)
- Medium-duty (red line with dashes)
- Light-duty (thin red line)
- Unimproved dirt (dashed black line)
- Interstate Route (red shield)
- U.S. Route (black shield)
- State Route (white shield)



QUADRANGLE LOCATION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

OSAKIS, MINN.  
N4545-W9507.5/7.5

1966  
PHOTOINSPECTED 1977  
AMS 6975 1 SW-SERIES V872

