

90°15' 48°07'30" 705000m E. 12°30' 10' 272000 FEET 90°07'30" 48°07'30"

5333000m N.

5'

T. 65 N.

T. 64 N.

2'30"

57000 FEET

48°00'

90°15'


12°30'

10'

714000m E.



90°07'30"

48°00'



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and International Boundary Commission
Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1957. Field check 1959
Canadian portion copied from Quebec quadrangle (1:250 000)
1957, Surveys and Mapping Branch, Department of Mines and
Technical Surveys
Depth curves compiled from charts furnished by Minnesota
Department of Conservation
Polyconic projection. 1927 North American datum
10,000-foot grid based on Minnesota coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 15, shown in blue

TRUE NORTH
MAGNETIC NORTH
2 1/2°
APPROXIMATE MEAN
DECLINATION, 1959



ROAD CLASSIFICATION
Unimproved dirt -----

PINE LAKE WEST, MINN.
N4800—W9007.5/7.5

THE U.S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON, D.C. 20540
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

1959

PINE MOUNTAIN

(FROM LAKE)

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

4830

FEB 12 1954